

**BAVARIA**

Fire Fighting Solutions

When It Comes To Your Safety Only The Best Is Good Enough

BAVARIA

BAVARIA® Wall Mounting Fire Hose Reel With Reinforced Sime Rigid One ply PVC Hose

BAVARIA SHR-1ply



The BAVARIA Hose reel using high quality steel 100% electrostatic pure polyester red coating. Bavaria wall mounting hose reel is suitable for use in both areas outdoors & indoors, as in offices, schools, sports areas, cinemas, assembly rooms, hotels, resorts, malls, airports, hospitals industrial and commercial fire protection needs , such as manufacturing, warehouse, apartment buildings, restaurants, malls, and more ...

**BAVARIA****BAVARIA** EGYPT (S.A.E.)

Gisir El Suez St. Block 109, Industrial Zone,
Ismailia Desert Road, Cairo-Egypt
PO Box: 2016/11111 Cairo-Egypt

**BAVARIA****BAVARIA** Brandschutz Industrie GmbH & Co. KG

Regensburger Str. 16,
93449 Waldmünchen
Germany

Tel. : +20 (0) 2 2182 0604 / 5 / 6
Fax : +20 (0) 2 2182 0609
Website : www.bavaria-firefighting.com
Email : international.sales@bavaria.com.eg


Tel. : + 49 (9972) 9401-0
Fax : + 49 (9972) 9401-17
Website : www.bavaria-firefightig.com.eg
Email : info@bavaria-brandschutz.de



BAVARIA® Wall Mounting Fire Hose Reel With Reinforced Sime Rigid One ply PVC Hose

Technical Specifications

The figures show the movement of the hose reel with the arm allows the reel to swing completely outside of the cabinet allowing smooth hose retrieval in left and right directions without hose twisting



Approvals:

- BAVARIA fire cabinets and 1 inch hose reel acquired the quality mark certificate according to ES7716-1 (EN671-1).
- Hose reel equipped with 1 inch (25 mm) diameter one ply PVC hose, manufactured according to EN694.

Technical Specifications:

Hosereel Types	SHR-1ply
Hose Reel Diameter	*580 mm
Hose Reel Swinging Range	0° - 180°
Hose Reel Material	Steel according to DIN EN 10130
Hose Reel Paint Finish	Surface treatment and 100% polyester coating
Water Way Elbow	Brass

*650 mm for fire both cabinets type Admiral and square polymer

BAVARIA® Wall Mounting Fire Hose Reel With Reinforced Sime Rigid One ply PVC Hose

Technical Specifications



One layer textile wrapped

Hose reel equipped with 1 inch (25 mm) diameter one ply PVC hose.	
Hose diameter and length	25mm (1inch) x 30m
Wall thickness	3.3 mm
Layers textile wrapped	One layer
Type	Reinforced Sime Rigid PVC hose
Max working pressure range	12 bar
Hose bursting pressure	Over 42 bar
According to	EN694



Landing Valves (fire valves) with 30° Outlet - For hose diameter 25 mm (1inch)	
Type	BAVARIA
Outlet male	Brass Nipple- for hose diameter 25 mm (1 inch) crimped with a (collar) ferrule



BAVARIA Multipurpose water nozzle - For hose diameter 25 mm (1 inch)	
Type	BAVARIA
Country of Origin	German made
Material	Made of Copper alloy, and has external polymer cover, as well as it has a rubber ring in the front for impact protection
Operation Mode	Multipurpose (jet and spray) nozzle
Flow Rate	up to 72 l/min at 6 bar
Max. working Pressure	16 bar
Max. Throw Range	Throw distance 21 m at 6 bar, at full jet
Hose Tail	1 inch



Warranty:

Period of Warranty	1 Year
Coverage of the Warranty	Against material failure and production defects
Method of Warranty Coverage	Limited to the replacement of the defected part or product after verification that the failure is covered by the scope of the warranty
Warranty Exclusions	Failures due to misuse, mishandling, or inspection or repair by an unauthorized dealer or entity

* The illustrations may show optional extras only available at extra charge. BAVARIA retains the right to alter specifications and illustrations given herein without prior notice. Specifications will only be considered communicated at placing of order.